



DECLARATION OF PERFORMANCE

According to Regulation (EU) No. 574/2014, which refers to Annex III of the Regulation (EU) No.305/2011

No. GABA001/4

SUPERFLUID

CE

- 1. Unique identification code of the product-type: **GABA001**
- Intended use/uses: According to EN 934-2:T3.1&T3.2, high range water reducing/superplasticizing admixture for concrete
- 3. Manufacturer: ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. North Macedonia
- Authorised representative:
- 5. System or systems of AVCP: System 2+
- 6a. Harmonised standard: EN 934-2:2009+A1:2012

Notified body:

Building Research Institute (N I S I) Ltd, 1618 Sofia, Bulgaria, №86 Nikola Petkov Blvd notified body for construction products, with identification number NB 2032 in European Commission register performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control under system 2+ and issued: Certificate of conformity of the factory production control 2032–CPR–08.40C







7. Declared performances:

			J	
	e	4		
			ì	
1				
i				
			1	
5			Ì	
	C	4		
			i	

Essential characteristics	Performance		Harmonised technical specification	
Chloride ion content	≤ 0,1% by mass			
Alkali content	≤ 6,5% by mass			
Corrosion behavior	Contains components only from EN 934-1:2008, Annex A.1			
Compressive strength	(at equal consistence T3.1)			
	At 1 day: Test mix ≥ 140 % of control mix	013	012	
	At 28 days: Test mix ≥ 115 % of control mix	1:20	1:20	
	<u>(at equal w/c ratio T3.2)</u>	2+A	V+6	
	At 28 days: Test mix ≥ 90 % of control mix	934-2+A1:2013	200	
Air content	Test mix ≤ 2 % by volume above control mix	S, N	EN 934-2:2009+A1:2012	
Water reduction	In test mix ≥ 12 % compared with control mix	MKC	6 N	
Consistency	Increase in slump ≥ 120 mm from initial	Σ	Ξ	
	(30 ± 10) mm			
	30 min after the addition the consistence of the test mix shall not fall below the value of the initial consistence of the control mix			
Dangerous substances	No performance determined			

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No. 574/2014 which refers to Annex III of the Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Skopje, 10.12.2019

Signed for and on behalf of the manufacturer by: General Manager, A A Blagoj Donchev, Civ.Eng.







CE MARKING

Annex to DoP No. GABA001/4

2032				
	ADING AD Skopje, Novoselski pat (ul 1409) br.11 060 Skopje, North Macedonia 08			
	GABA001/4			
EN 934-2:2009+A1:2012				
	SUPERFLUID			
High range water reducing/superplasticizing admixture for concrete EN 934-2:T3.1&T3.2				
Chloride ion content	≤0,1% by mass			
Alkali content	≤ 6,5% by mass			
Corrosion behaviour	Contains components only from EN 934-1:2008, Annex A.1			
Compressive strength	(at equal consistence T3.1)			
	At 1 day: Test mix ≥ 140 % of control mix			
	At 28 days: Test mix ≥ 115 % of control mix			
	<u>(at equal w/c ratio T3.2)</u>			
	At 28 days: Test mix ≥ 90 % of control mix			
Air content	Test mix ≤ 2 % by volume above control mix			
Water reduction	In test mix \ge 12 % compared with control mix			
Consistency	Increase in slump ≥ 120 mm from initial (30 ± 10) mm			
	30 min after the addition the consistence of the test mix shall not fall below the value of the initial consistence of the control mix			
Dangerous substances	No performance determined			

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH) Information and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS).

Information and during on a decision of a second se

